

	Type	Hits	Search Text	DBs
1	BRS	16	S3 and ((circuit adj board) or "FCB" or circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	3	S3 and ((circuit adj board) or "FCB" or circuit) and position\$3 and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	972	(353/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3	S3 and ((circuit adj board) or "FCB" or circuit) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	48	S8 and ((circuit adj board) or "FCB" or circuit) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	IS&R	3828	(353/122,30,31,33,34,37,81,82,119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
7	BRS	48	S10 and ((circuit adj board) or "FCB" or circuit) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	IS&R	3828	(353/122,30,31,33,34,37,81,82,119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	98	"353"/\$ and ((circuit adj board) or "FCB" or circuit) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	108	"L1" and ((circuit adj board) or "FCB" or circuit) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	48	S13 and ((circuit adj board) or "FCB" or circuit) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
12	IS&R	3828	(353/122,30,31,33,34,37,81,82,119) .CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	50	S15 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	12	("5092671"   "5313234"   "5722752"   "5860719"   "5988818"   "5993008"   "6033077"   "6046858"   "6065838"   "6226055"   "6231191"   "6345896").PN.	US-PGPUB; USPAT; USOCR
15	BRS	48	S16 and ((circuit adj board) or "FCB" or circuit) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	129	((fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) with ((circuit adj board) or "FCB" or circuit)) and screws and ((frame or housing or container) with ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
17	BRS	90	((fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) same ((circuit adj board) or "FCB" or circuit) same ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2)))))) and screw\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	353	S24 not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	("2004/0100621").URPN.	USPAT
20	IS&R	2	("6231191").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	395	screw\$1 and (fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) and ((circuit adj board) or "FCB" or circuit) and ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2)))) and (projector or (project\$3 adj1 (device or apparatus or system or unit or display)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
22	BRS	195	screw\$1 and (fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) and ((circuit adj (board or substrate)) or "FCB") and ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2)))) and (projector or (project\$3 adj1 (device or apparatus or system or unit or display)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	90	((fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) same ((circuit adj board) or "FCB" or circuit) same ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2)))) and screw\$1 and (fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) and ((circuit adj board) or "FCB" or circuit) and ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
24	BRS	42	((fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) same ((circuit adj board) or "FCB" or circuit) same ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2)))))) and screw\$1 and (fan\$1 or blower\$1 or (cooling adj (device or unit or apparatus or system))) and ((circuit adj board) or "FCB" or circuit) and ((light adj valve) or (display adj panel) or (liquid adj crystal) or "LCD" or "DMD" or (digital adj (mirror\$2 or (micro adj mirror\$2)))))) and (projector or (project\$3 adj1 (device or apparatus or system or unit or display)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	2	("6,231,191").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	1	10/707627	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	IS&R	93	(353/60).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	IS&R	564	(353/52,57,58,60).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
29	BRS	167	S31 and circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	78	S31 and (circuit same ("LCD" or (liquid adj crystal) or (display adj panel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	57	S31 and (circuit with ("LCD" or (liquid adj crystal) or (display adj panel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	IS&R	977	(353/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	55	S35 and (circuit adj (board or substrate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	66229	((light adj valve) or (electro adj optical) or "LCD" or (liquid adj crystal) or (display adj panel)) with circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	12223	("353"/\$ or "359"/\$ or "349"/\$ or "348"/\$ or "362"/\$) and (((light adj valve) or (electro adj optical) or "LCD" or (liquid adj crystal) or (display adj panel)) with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
36	BRS	74	("353"/\$ or "359"/\$ or "349"/\$ or "348"/\$ or "362"/\$) and (((light adj valve) or (electro adj optical) or "LCD" or (liquid adj crystal) or (display adj panel)) with circuit with screw\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	2	("353"/\$ or "359"/\$ or "349"/\$ or "348"/\$ or "362"/\$) and (((light adj valve) or (electro adj optical) or "LCD" or (liquid adj crystal) or (display adj panel)) with circuit with screw\$3 with (blower or fan\$1 or ((cool\$3 or blow\$3) adj unit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	4	("4357061"   "4727285"   "4826296"   "4904079").PN.	US-PGPUB; USPAT; USOCR
39	BRS	32	("4963001").URPN.	USPAT
40	IS&R	981	(353/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	86	S44 and (circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	IS&R	3828	(353/122,30,31,33,34,37,81,82,119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	8852	(circuit adj board) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or (digital adj (mirror\$2 or micromiror\$2)) or "DMD")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
44	IS&R	50	(("4794608") or ("4779985") or ("4833170") or ("5057892") or ("5743610") or ("5909944") or ("6053473") or ("4881725") or ("5312019") or ("5458020") or ("5529088") or ("5533703") or ("5874707") or ("5979405") or ("6130497") or ("6139154") or ("6227671") or ("6768234") or ("5449019") or ("5336123") or ("5758931") or ("5860515") or ("5192094") or ("4279235") or ("6024482") or ("6093530") or ("5992005") or ("4472124") or ("4775081") or ("5228619") or ("5909749") or ("6045051") or ("6076492") or ("6095653") or ("6106120") or ("4290283") or ("4376466") or ("4391619") or ("4440379") or ("4462773") or ("4508263") or ("4627390") or ("4784399") or ("4787537") or ("4811929") or ("4813649") or ("4869450") or ("4913399") or ("4915129") or ("5026316")).PN.	US-PGPUB; USPAT

	Type	Hits	Search Text	DBs
45	IS&R	50	(("4794608") or ("4779985") or ("4833170") or ("5057892") or ("5743610") or ("5909944") or ("6053473") or ("4881725") or ("5312019") or ("5458020") or ("5529088") or ("5533703") or ("5874707") or ("5979405") or ("6130497") or ("6139154") or ("6227671") or ("6768234") or ("5449019") or ("5336123") or ("5758931") or ("5860515") or ("5192094") or ("4279235") or ("6024482") or ("6093530") or ("5992005") or ("4472124") or ("4775081") or ("5228619") or ("5909749") or ("6045051") or ("6076492") or ("6095653") or ("6106120") or ("4290283") or ("4376466") or ("4391619") or ("4440379") or ("4462773") or ("4508263") or ("4627390") or ("4784399") or ("4787537") or ("4811929") or ("4813649") or ("4869450") or ("4913399") or ("4915129") or ("5026316")).PN.	US-PGPUB; USPAT
46	BRS	16	S48 and circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	8863	(circuit adj board) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
48	BRS	5	S48 and circuit and ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	5	S48 and circuit and ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD") and screw\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	5	S48 and circuit and ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD") and screw\$1 and (fan\$1 or blow\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	5	S48 and circuit and ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD") and screw\$1 and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	86	("353"/\$ or "349"/\$ or "359"/\$ or "348"/\$ or "345"/\$) and (circuit with screw\$3) and ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD") and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	6	((("chien-ming" near Tsao) or ("yung-chuan" near tseng)) and coretronic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
54	IS&R	981	(353/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	17	(projector or (project\$3 adj1 (display or device or unit or apparatus or system))) and (circuit with screw\$3 with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	IS&R	2	("6588910").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	2	("6231191").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	IS&R	979	(353/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	264	S62 and circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	4	("5978054"   "6137635"   "6675470"   "6724445").PN.	US-PGPUB; USPAT; USOCR
61	BRS	6	("6137635").URPN.	USPAT
62	BRS	0	("6808272").URPN.	USPAT

	Type	Hits	Search Text	DBs
63	BRS	20	Coretronic	USPAT
64	BRS	28	circuit with screw\$3 with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD") and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	11	(screw\$3 with circuit with (container or frame or housing) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD")) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	570	(circuit with (container or frame or housing) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD")) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	BRS	166	("353"/\$ or "359"/\$ or "349"/\$ or "348"/\$ or "362"/\$) and (circuit with (container or frame or housing) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD")) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	IS&R	2	("6053616").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
69	BRS	160	((container or frame or housing) with (circuit adj board) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD")) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	BRS	9	((container or frame or housing) with (elastic or rubber or elasticity or deformable) with (circuit adj board) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD")) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
71	BRS	39	(US-20010040669-\$ or US-20040136163-\$ or US-20020021415-\$).did. or (US-4963001-\$ or US-5049866-\$ or US-5743611-\$ or US-6106120-\$ or US-6139154-\$ or US-6203159-\$ or US-6227671-\$ or US-6523353-\$ or US-6619800-\$ or US-6682197-\$ or US-6734927-\$ or US-6808272-\$ or US-6095653-\$ or US-5909944-\$ or US-5743610-\$ or US-6637895-\$ or US-6477039-\$ or US-6409347-\$ or US-6364492-\$ or US-6007205-\$ or US-5988818-\$ or US-5418586-\$ or US-6729888-\$ or US-RE38306-\$ or US-6834964-\$ or US-6733141-\$).did. or (US-6731354-\$ or US-6616282-\$ or US-RE38194-\$ or US-6595645-\$ or US-6588910-\$ or US-6587167-\$ or US-6530665-\$ or US-6488380-\$ or US-6485148-\$ or US-6406151-\$).did.	US-PGPUB; USPAT
72	BRS	5641	((container or frame or housing) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD")) and (fan\$1 or blow\$3 or cool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1	S75 and ((rubber or elastic) near (frame or container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
74	BRS	67	((((container or frame or housing) near (rubber or elastic)) with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	IS&R	1593	(353/119,122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	IS&R	1593	(353/119,122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	IS&R	0	("5and(framenear1(rubberorelastic))").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	BRS	249	circuit with screw\$3 with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	BRS	3	S78 and (frame near1 (elastic or rubber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
80	BRS	524	(elastic or rubber) with frame with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	BRS	212	("353"/\$ or "359"/\$ or "349"/\$ or "348"/\$ or "362"/\$) and ((elastic or rubber) with frame with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromiror\$2)) or "DMD"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	IS&R	8921	((353/122,30,31,33,34,37,81,82,119,52,47,58,60) or (359/237,242,267) or (349/5,7,8,25,30,58) or (348/739,748,750,751,759,771,836)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	14	S84 and ((elastic or rubber) near1 frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	BRS	18	S84 and ((elastic or rubber) near1 (frame or housing or cover or container))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	BRS	1	"353"/\$ and ((elatic or rubber) adj frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
86	BRS	8	"353"/\$ and ((elastic or rubber) with frame with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	BRS	524	(elastic or rubber) with frame with ((light adj valve) or modulat\$3 or "LCD" or (liquid adj crystal) or (display adj panel) or ((digital or deformable) adj (mirror\$2 or micromirror\$2)) or "DMD")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB